

Preventative Maintenance & Care: Metal & Injection Moulded Products (XTM, TMX, TMDZ, GLACIER, DC, RV & KM models)

To ensure a long life and reliable operation of your metal & injection moulded fridge/freezer we recommend following our preventative maintenance and care guide.

Cabinet care: the cabinet should be cleaned after every use by wiping both the interior and exterior with a damp cloth, using a mild non-abrasive detergent, and dry thoroughly. The painted metal surfaces can be polished with a car polish and a soft cloth.

*To protect the cabinet from the harsh conditions a protective cover can be purchased from EvaKool's online store (<http://www.evakool.com.au/>) or selected retail outlets.

Do not use: scourers, harsh cleaning products, solvents, or oil as this will degrade the plastic and can cause damage to painted surfaces.

Do not leave the cabinet in direct sunlight as this may cause discolouration in the plastic and painted surfaces. Please note: plastic components in all EvaKool fridge/freezers are UV stabilised.

Defrosting: after use, defrost ice off evaporator; switch off unit and disconnect from power source. Undo the drainage bung (if the cabinet has one) to ensure all the water can drain out of the cabinet. Turn off the unit to let the ice melt naturally or pour a jug of warm water over the ice (do not flood or fill the cabinet with water, do not use a hose, do not use sharp objects to remove ice).

Always make sure the cabinet is completely dry and bung cap left open or lid left ajar when put in storage, this will ensure no corrosion, mold or odor will form inside the cabinet.

Do not store electrical devices such as 12 volt adaptor inside the refrigerator.

Refrigeration maintenance: as your EvaKool fridge is a portable appliance it is subjected to a variety of different operating conditions. Every 12 months of use, a general inspection and maintenance should be carried out. We recommend the inspection to be carried out by an approved EvaKool agent (our service agents can be found on our website under 'Find a Service Agent' in the top banner).

Warning: if your refrigerator has a 240 volt plug inlet (240 volt adaptor built in) do not remove the back cover, as there could be a risk of electrocution.

Marine use: we do not recommend the use of our fridges in a marine environment, as salt can cause corrosion in electronics and metal components. If unit failure is found to be caused by corrosion, warranty will be void.